




# CATALOGUE LIGHTING ACCESSORIES

COLD METAL STAMPING AND DEEP DRAWING  
MOULD AND DIE CONSTRUCTION  
CNC PUNCHING, BENDING AND LASER CUTTING



## MATRICES Y GRABADOS, S.L.

Polígono Industrial Sepes - C/ Ganadería, parcela 35

Tel. +34 974 591 579

Mob. +34 636 268 349

Fax +34 974 225 626

22006 HUESCA (SPAIN)

[www.maygra.com](http://www.maygra.com)

[comercial@maygra.com](mailto:comercial@maygra.com)















# C O N T E N T S

COVER LAMP HOLDERS	3
CYLINDRICAL DISTRIBUTORS	3
CEILING SUPPORTS	4
HALOGEN BULB BRACKETS	4
DISKS / WEIGHTS	5
HALF BALLS	5
BOBECHE	6
REFLECTORS	6
ROUNDED BASES & BRACKETS	7
COVERS FOR PAINTING LAMPS	8
OPENED & CLOSED BALLS	8
SQUARED BASES & BRACKETS	9

COVERS	10
OVAL BASES	10
SHELLS	13
DISKS FOR ANNULAR CORE	13
RUBBERS FOR ANNULAR CORE DISK	14
DISKS FOR ANNULAR CORE MADE OF POLYAMIDE	14
GENERAL TERMS OF SALE	15




→ IN THE CATALOGUE, ALL DIMENSIONS ARE GIVEN IN MILLIMETERS ←

# COVER LAMP HOLDERS

		<b>CODE</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>
		<b>C42.40H</b> <b>C42.40L</b>	Ø42	40	Ø10,25	0,5
		<b>CODE</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>
		<b>C42.42H</b> <b>C42.42L</b>	Ø42	42	Ø10,25	0,5
		<b>CODE</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>
		<b>C47.33H</b> <b>C47.33L</b>	Ø42	33	Ø10,25	0,5
		<b>C47.42H</b> <b>C47.42L</b>	Ø42	42	Ø10,25	0,5
		<b>CODE</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>
		<b>CF42.40H</b> <b>CF42.40L</b>	Ø42	40	Ø10,25	0,5
		<b>CODE</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>
		<b>CC36.36H</b> <b>CC36.36L</b>	36	36	Ø10,25	0,5
		<b>CODE</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>
		<b>CC42.45H</b> <b>CC42.45L</b>	Ø45	42	Ø10,25	0,8

















NOTE: H = STEEL, L = BRASS.

# CYLINDRICAL DISTRIBUTORS

	<b>CODE</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>
	<b>B50H</b> <b>B50L</b>	55	47	31	24	1	M10/100
	<b>CODE</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>
	<b>B60H</b> <b>B60L</b>	65	57	31	24	1	M10/100
	<b>CODE</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>
	<b>B80H</b> <b>B80L</b>	85	77	31	24	1	M10/100
	<b>CODE</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>	<b>F</b>
	<b>B100H</b> <b>B100L</b>	105	97	31	24	1	M10/100

NOTE: H = STEEL, L = BRASS.

# CEILING SUPPORTS



		CODE	A	B	C	D	E
		SA105PZ	93	25	11	1,5	M10/100
		CODE	A	B	C	D	E
		SA105DZ	100	25	7	1,5	M10/100
		CODE	A	B	C	D	E
		STZ	60	25	15	1,2	M10/100
		ST6Z	60	25	15	1,2	M6
		CODE	A	B	C	D	E
		STIZ	78	25	-	1,2	M10/100
		STI6Z	78	25	-	1,2	M6
★ 		CODE	A	B	C	D	E
		SA105Z	105	25	-	1,5	M10/100
		SA138Z	138	25	-	1,5	M10/100
		SA170Z	170	25	-	1,5	M10/100
		SA199Z	199	25	-	1,5	M10/100
		CODE	A	B	C	D	E
		SA2RZ	105	25	-	1,5	M10/100
		CODE	A	B	C	D	E
		SAEZ	105	25	-	2,5	M10/100
		CODE	A	B	C	D	E
		SALLZ	103	20	-	3	M10/100

**MATERIAL:** STEEL ROHS ZINC-PLATING.

★ UPON REQUEST, WE CAN MAKE OTHER DIMENSIONS: 20 mm WIDTH, ALL LENGTHS.

UPON REQUEST, WE CAN MAKE THEM OF GALVANIZED SHEET.

# HALOGEN BULB BRACKETS

	CODE	A	B	C	D	E	F	G	H
	SBLGZ	145	20	25	1,5	70	11	5	14
	CODE	A	B	C	D	E	F	G	H
	SBLPZ	103	20	25	1,5	40	11	6	14

**MATERIAL:** STEEL ROHS ZINC-PLATING.

UPON REQUEST, WE CAN MAKE THEM OF GALVANIZED SHEET.

# DISKS / WEIGHTS

## DISQUES SANS TROUS



Disks without hole.  
Lots of diameters.  
Thickness:  
- Steel → up to 20 mm  
- Stainless steel → up to 15 mm  
- Aluminium → up to 10 mm  
- Galvanized sheet & brass → up to 3 mm

## DISKS WITH CENTRAL HOLE



Disks with Ø10.25 central hole (we can make other diameters and more holes).  
Lots of diameters.  
Thickness:  
- Steel → up to 20 mm  
- Stainless steel → up to 15 mm  
- Aluminium → up to 10 mm  
- Galvanized sheet & brass → up to 3 mm

## DRAWN DISKS



Drawn disks.  
Lots of diameters.  
Ø10,25 central hole.  
Thickness up to 3 mm.  
Material: Steel, galvanized sheet, brass & aluminium.

## DISKS WITH THREADED HOLE




Disks with threaded hole M10/100 (we can make other thread dimensions).  
Lots of diameters.  
Thickness:  
- Steel → up to 20 mm  
- Stainless steel → up to 15 mm  
- Aluminium → up to 10 mm  
- Galvanized sheet & brass → up to 3 mm

# HALF BALLS



Cross-section A-A'



















CODE	A	B	C	D
<b>MB50H</b>	50	25	0,8	10,25
<b>MB65H</b>	65	32,5	0,8	10,25
<b>MB70H</b>	70	35	0,8	10,25
<b>MB80H</b>	80	40	0,8	10,25
<b>MB90H</b>	90	45	0,8	10,25
<b>MB100H</b>	100	50	0,8	10,25
<b>MB105H</b>	105	52,5	0,8	10,25
<b>MB120H</b>	120	60	0,8	10,25
<b>MB140H</b>	140	70	1	10,25
<b>MB160H</b>	160	80	1	10,25

**MATERIAL: STEEL.**















UPON REQUEST, WE CAN MAKE THEM OF BRASS AND ALUMINIUM.

# BOBECHES

		<b>CODE</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
		P66H P66L	62	23	0,5	66	10,25
		<b>CODE</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
		PG66H PG66L	62	23	0,5	66	10,25
		<b>CODE</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
		P67H P67L	63	23	0,5	67	10,25
		<b>CODE</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
		PG67H PG67L	63	23	0,5	67	10,25
		<b>CODE</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
		P98H P98L	98	37	1	-	10,25
		PR98H PR98L	98	37	1	-	10,25
		P120H P120L	120	41	1	-	10,25
		<b>CODE</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
		PR120H PR120L	120	41	1	-	10,25
		<b>CODE</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
		PC84H PC84L	84	24	0,5	89	10,25
		<b>CODE</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
		P71H P71L	71	41	0,8	-	10,25

NOTE: H = STEEL, L = BRASS.

# REFLECTORS

		<b>CODE</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
		RBP	122	70	30	0,8	-
		<b>CODE</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
		RBM	165	73	31	0,8	-
		RBG	183	93	48	1	-
		<b>CODE</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
		RPCR	80	50	23	0,5	-
		<b>CODE</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
		RPCT	80	50	23	0,5	-
		<b>CODE</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
		RIP	500 (máx.)	Ø20	15	0,5	-
		RIG	800 (máx.)	Ø40	30	0,5	-
		<b>CODE</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
		R90-40	Ø90	40	Ø5	0,8	-
		R90-60	Ø90	60	Ø5	0,8	-
		R90-70	Ø90	70	Ø5	0,8	-
		R127-60	Ø127	60	Ø5	0,8	-
R127-70	Ø127	70	Ø5	0,8	-		
		<b>CODE</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	<b>E</b>
		R90.40-40	90	40	40	0,8	Ø5
		R90.40-70	90	40	70	0,8	Ø5
		R130.40-60	130	40	60	0,8	Ø5
R130.40-70	130	40	70	0,8	Ø5		

NOTE: M-1, M-2, M-3 → ALUMINIUM.  
M-4, M-5, M-6 → ALUM., EMBOSSED ALUM. OR ALUM. WITH SPARKLING MIRROR EFFECT.

M-3 → THE FINISH CAN BE RIGHT OR ROUNDED.

UPON REQUEST, WE MAKE MODELS 5 & 6 IN ANY DIMENSIONS.

# ROUNDED BASES & BRACKETS



	<b>CODE</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	
	<b>B50.20H / B50.20L</b>	Ø50	Ø10,25	20	0,8	
	<b>S47.20Z</b>	47	20	M4	1,2	
	<b>B90.25H / B90.25L</b>	Ø90	Ø10,25	25	0,8	
	<b>S87.20Z</b>	87	20	M4	1,2	
	<b>B120.25H / B120.25L</b>	Ø120	Ø10,25	25	1	
	<b>S117.20Z</b>	117	20	M4	1,5	
	<b>B185.20H / B185.20L</b>	Ø185	Ø10,25	20	1,5	
	<b>S181.25Z</b>	181	25	M4	2	
	<b>CODE</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	
	<b>B200H / B200L</b>	Ø200	Ø10,25	45	1	
	<b>S196.25Z</b>	196	25	M4	2	
	<b>B250H / B250L</b>	Ø250	Ø10,25	45	1	
	<b>S246.25Z</b>	246	25	M4	2	
	<b>CODE</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>	
	<b>TB80H / TB80L</b>	Ø80	Ø10,25	3,5	0,8	
	<b>TAMH / TAML</b>	Ø105	Ø10,25	6	0,5	
		<b>CODE</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>
<b>B86.23H / B86.23L</b>		Ø86	Ø10,25	23	1	
<b>S83.20Z</b>		83	20	M4	1,2	
<b>OPTION 1</b>		<b>B86.23H / B86.23L</b>	Ø86	Ø10,25	23	1
		<b>S82.21H / S82.21Z</b>	Ø82	Ø10,25	21	1
<b>OPTION 2</b>		<b>B86.23H / B86.23L</b>	Ø86	Ø10,25	23	1
		<b>S82.21H / S82.21Z</b>	Ø82	Ø10,25	21	1

**NOTE:** H = STEEL, L = BRASS, Z = ROHS ZINC-PLATING

	<b>CODE</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>
	<b>BB120.25H / BB120.25L</b>	Ø120	Ø10,25	25	0,8
	<b>CODE</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>
	<b>S115.10H / S115.10Z</b>	Ø115	Ø12	10	0,8
	<b>CODE</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>
	<b>B110.22H / B110.22L</b>	Ø110	Ø42	22	1
	<b>CODE</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>
	<b>B133.22H / B133.22L</b>	Ø133	Ø129	22	1
	<b>S130.20Z</b>	130	20	M4	1,5
	<b>CODE</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>
	<b>B153.22H / B153.22L</b>	Ø153	Ø149	22	1
	<b>CODE</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>
	<b>S150.20Z</b>	150	20	M4	1,5
	<b>CODE</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>
	<b>BE133.22H / B133.22L</b>	Ø133	Ø129	22	1
	<b>BE153.22H / B153.22L</b>	Ø153	Ø149	22	1
	<b>CODE</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>
	<b>B92.21H / B92.21L</b>	Ø92	Ø10,25	21	0,8
	<b>CODE</b>	<b>A</b>	<b>B</b>	<b>C</b>	<b>D</b>
	<b>B94.20H / B94.20L</b>	Ø94	Ø12	20	1


BRACKETS: UPON REQUEST, WE CAN MAKE THEM OF GALVANIZED SHEET.

# COVERS FOR PAINTING LAMPS



CODE	A	B	C	D	E	F
TIGDH						
TIGDL	54	45	70	9	5	0,5

CODE	A	B	C	D	E	F
TIGIH						
TIGIL	54	45	70	9	5	0,5



CODE	A	B	C	D	E	F
TIPH						
TIPL	24	19	7,2	3,5	0,5	-


**NOTE:** ALL DIMENSIONS ARE INSIDE MEASUREMENTS.

**H** = STEEL, **L** = BRASS, **D** = RIGHT, **I** = LEFT.

# OPENED & CLOSED BALLS




Cross-section A-A'



CODE	A	B	C	D
B70AH	70	60	0,8	10,25
B80AH	80	70	0,8	10,25
B90AH	90	80	0,8	10,25
B105AH	105	90	1	10,25
B120AH	120	110	1	10,25
B140AH	140	130	1	10,25
B160AH	160	140	1	10,25



Cross-section A-A'






CODE	A	B	C	D
B70CH	70	50	0,8	10,25
B80CH	80	60	0,8	10,25
B90CH	90	70	0,8	10,25
B105CH	105	85	1	10,25
B120CH	120	100	1	10,25
B140CH	140	110	1	10,25
B160CH	160	130	1	10,25

**MATERIAL:** STEEL.

UPON REQUEST, WE CAN MAKE THEM OF BRASS AND ALUMINIUM.

# SQUARED BASES & BRACKETS

















OPTION 1	CODE	A	B	C	D	E
	<b>P60.60H / P60.60L</b>	60	60	18	1	Ø10,25
	<b>S57.20Z</b>	57	20	-	1,2	M4
OPTION 2	CODE	A	B	C	D	E
	<b>P60.60H / P60.60L</b>	60	60	18	1	Ø10,25
	<b>T60G</b>	56	56	12	1	M4
	<b>P115.115H / P115.115L</b>	115	115	22	1	Ø10,25
	<b>S112.20Z</b>	112	20	-	1,5	M4
CODE	A	B	C	D	E	
<b>PCPH / PCPL</b>	133	133	17	1	-	
<b>S130.20Z</b>	130	20	-	1,5	M4	
<b>PCMH / PCML</b>	162	162	17	1	-	
<b>S159.25Z</b>	159	25	-	2	M4	
<b>PCGH / PCGL</b>	192	192	17	1	-	
<b>S189.25Z</b>	189	25	-	2	M4	

**NOTE:** H = STEEL, L = BRASS, Z = ROHS ZINC-PLATING, G = GALVANIZED SHEET.

CODE	A	B	C	D	E
<b>PCPMH / PCPML</b>	133	133	17	1	-
<b>S130.20Z</b>	130	20	-	1,5	M4
<b>PCMMH / PCMML</b>	162	162	17	1	-
<b>S159.25Z</b>	159	25	-	2	M4
<b>PCGMH / PCGML</b>	192	192	17	1	-
<b>S189.25Z</b>	189	25	-	2	M4
CODE	A	B	C	D	E
<b>P80.68H / P80.68L</b>	80	68	23	1	Ø10,25
<b>S77.20Z</b>	77	20	-	1,2	M4
<b>P102.72H / P102.72L</b>	102	72	22	1	Ø10,25
<b>S99.20Z</b>	99	20	-	1,2	M4
<b>P142.72H / P142.72L</b>	142	72	17	1	Ø10,25
<b>S139.20Z</b>	139	20	-	1,5	M4
<b>P153.86H / P153.86L</b>	153	86	15	0,8	Ø10,25
<b>S150.20Z</b>	150	20	-	1,5	M4
<b>P190.50H / P190.50L</b>	190	50	18	0,8	Ø10,25
<b>S187.25Z</b>	187	25	-	2	M4
CODE	A	B	C	D	E
<b>P82.44H / P82.44L</b>	82	44	19	0,8	-
<b>S79.20Z</b>	79	20	-	1,2	M4
<b>P83.60H / P83.60L</b>	83	60	18	0,8	-
<b>S80.20Z</b>	80	20	-	1,2	M4
CODE	A	B	C	D	E
<b>BCRH / BCRL</b>	120	120	10,5	2,5	Ø10,25

















BRACKETS → UPON REQUEST, WE CAN MAKE THEM OF GALVANIZED SHEET.

# COVERS

		CODE	A	B	C	D	E
		<b>C30H</b>					
		<b>C30L</b>	31	19	12	10,25	0,5
		CODE	A	B	C	D	E
		<b>C35H</b>					
		<b>C35L</b>	37	17	15	10,25	0,5
		CODE	A	B	C	D	E
		<b>C40H</b>					
		<b>C40L</b>	42	16	17	10,25	0,5
		CODE	A	B	C	D	E
		<b>C40-2H</b>					
		<b>C40-2L</b>	42	-	18	10,25	0,5
		CODE	A	B	C	D	E
		<b>C50H</b>					
		<b>C50L</b>	52	24	21	10,25	0,5
		CODE	A	B	C	D	E
		<b>T60H</b>					
		<b>T60L</b>	62	17	14	11	0,5
		CODE	A	B	C	D	E
		<b>C97H</b>					
		<b>C97L</b>	97	20	21	11	0,8
		CODE	A	B	C	D	E
		<b>TT40H</b>					
		<b>TT40L</b>	37	26	11	10,25	0,5

NOTE: H = STEEL, L = BRASS.

# OVAL BASES (I)

		CODE	A	B	C	D (thickness)
		<b>PCFH / PCFL</b>	228	102	20	1
		CODE	A	B	C	D (thickness)
		<b>S99.20Z</b>	99	20	M4	1,5
		CODE	A	B	C	D (thickness)
		<b>POH / POL</b>	210	96	23	1
		CODE	A	B	C	D (thickness)
		<b>S93.20Z</b>	93	20	M4	1,5
		CODE	A	B	C	D (thickness)
		<b>PO200.63H / PO200.63L</b>	200	63	30	0,8
		CODE	A	B	C	D (thickness)
		<b>S60.20Z</b>	60	20	M4	1,5
		CODE	A	B	C	D (thickness)
		<b>PO125.70H / PO125.70L</b>	125	70	23	1,5
		CODE	A	B	C	D (thickness)
		<b>S67.20Z</b>	67	20	M4	1,5

NOTE: H = STEEL, L = BRASS, Z = ROHS ZINC-PLATING.

# OVAL BASES (II)

		CODE	A	B	C	D (thickness)	E	F
		RI1LH RI1LL	120	40	14	0,8	-	-
		CODE	A	B	C	D (thickness)	E	F
		RI1LAH RI1LAL	120	40	22	0,8	-	-
		CODE	A	B	C	D (thickness)	E	F
		RI1LH RI1LL	120	40	14	0,8	-	Ø4,5
		CODE	A	B	C	D (thickness)	E	F
		RI1LAH RI1LAL	120	40	22	0,8	-	Ø4,5
		CODE	A	B	C	D (thickness)	E	F
		RI1LH RI1LL	120	40	14	0,8	Ø10,25	Ø4,5
		CODE	A	B	C	D (thickness)	E	F
		RI1LAH RI1LAL	120	40	22	0,8	Ø10,25	Ø4,5
		CODE	A	B	C	D (thickness)	E	F
		RI1LH RI1LL	120	40	14	0,8	Ø10,25	-
		CODE	A	B	C	D (thickness)	E	F
		RI1LAH RI1LAL	120	40	22	0,8	Ø10,25	-
		CODE	A	B	C	D (thickness)	E	F
		RI1LH RI1LL	120	40	14	0,8	Ø10,25	Ø4,5
		CODE	A	B	C	D (thickness)	E	F
		RI1LAH RI1LAL	120	40	22	0,8	Ø10,25	Ø4,5
		CODE	A	B	C	D (thickness)	E	F
		S110.20Z	110	20	M4	1,2	-	-

F: PUNCHED HOLES.



NOTE: H = STEEL, L = BRASS, Z = ROHS ZINC-PLATING.

# OVAL BASES (III)

		CODE	A	B	C	D	E	F	G
		PO136,4H PO136,4L	136	66	24	1	130	80	Ø11,5
		CODE	A	B	C	D	E	F	G
		EO170H EO170L	170	85	24	1,5	80	Ø10,25	-
		CODE	A	B	C	D	E	F	G
		EO150A	150	65	14,34	0,75	80	Ø10,25	-
		CODE	A	B	C	D	E	F	G
		TPO136H	59	20	15	2	M4	36	Ø5,25

NOTE: H = STEEL, L = BRASS, A = ALUMINIUM.


# OVAL BASES (IV)




CODE	A	B	C	D	E
PO136.1H PO136.1L	-	-	-	-	-



CODE	A	B	C	D	E
PO136.2H PO136.2L	Ø11,5	-	-	-	-



CODE	A	B	C	D	E
PO136.3H PO136.3L	Ø11,5	100	-	-	-




CODE	A	B	C	D	E
PO136.4/2H PO136.4/2L	Ø11,5	100	-	-	-


NOTE: H = STEEL, L = BRASS.




CODE	A	B	C	D	E
PO136.5H PO136.5L	11,5x8,5	-	-	-	-




CODE	A	B	C	D	E
PO136.6H PO136.6L	11,5x8,5	Ø4,5	50	4	-



CODE	A	B	C	D	E
PO136.7H PO136.7L	Ø4,5	100	4	-	-




CODE	A	B	C	D	E
PO136.8H PO136.8L	11,5x8,5	Ø4,5	100	4	-



CODE	A	B	C	D	E
PO136.9H PO136.9L	Ø11,5	Ø4,5	100	60	4

THE EXTERNAL DIMENSIONS ARE THE SAME FOR ALL MODELS.


# SHELLS



CODE	A	B	C	D
CO60H CO60L	60	4	Ø10,5	0,8
CO70H CO70L	69	5,5	Ø10,5	0,8
CO80H CO80L	79	7,5	Ø10,5	0,8
CO90H CO90L	88	9,5	Ø10,5	0,8
CO100H CO100L	97	12	Ø10,5	0,8
CO110H CO110L	106	14,5	Ø10,5	0,8

NOTE: H = STEEL, L = BRASS.

# DISKS FOR ANNULAR CORE




CODE	A	B	C	D	E	F
DT30	Ø30	17	11	6	4,3	0,8
DT40	Ø40	17	11	6	4,3	0,8
DT50P	Ø50	26	13	6,5	5	0,8
DT60P	Ø60	27	14	6,5	5,3	0,8
DT65P	Ø65	31	15	6,5	5,3	0,8
DT70P	Ø70	47	26	6,5	6,5	1
DT80P	Ø80	30	15	6,5	6	1
DT90P	Ø90	45	29	6,5	7	1
DT100P	Ø100	54	33	6,5	8,2	1,2
DT110P	Ø110	54	33	6,5	8,2	1,2
DT120P	Ø120	58	37	9,5	9,2	1,2
DT127P	Ø127	58	37	9,5	9,7	1,2
DT137P	Ø137	58	38	9,5	10,2	1,2

MATERIAL: STEEL.

FINITION: DT30 AND DT40 → ROHS ZINC-PLATING.  
OTHERS → BLACK PAINTED.

NOTE: UPON REQUEST, WE CAN MAKE ALL DIMENSIONS.

# RUBBERS FOR ANNULAR CORE DISKS





CODE	A	B	C
GT30	32	5,5	1
GT40	40	6,5	1
GT50	52	6,5	1
GT60	60	6,5	1
GT65	65	6,5	1
GT70	70	6,5	1
GT80	80	6,5	1
GT85	85	6,5	1
GT90	90	6,5	1
GT100	100	6,5	1
GT110	110	6,5	1
GT120	120	6,5	1
GT130	130	6,5	1
GT140	140	6,5	1

**MATERIAL:** RUBBER.

**NOTE:** UPON REQUEST, WE CAN MAKE ALL DIMENSIONS.

# DISKS FOR ANNULAR CORE MADE OF POLYAMIDE



CODE	A	B	C	D	E	F
DTP50	50	30	23	6,5	4,5	2,5
DTP60	60	36	26	6,5	5,5	2,5
DTP65	65	36	26	6,5	5,5	2,5
DTP70	70	36	26	6,5	5,5	2,5
DTP80	80	38	26	6,5	5,5	2,5
DTP90	90	42	29	6,5	6,5	3

**MATERIAL:** POLYAMIDE.

# PLEASE READ THOROUGHLY OUR TERMS OF SALE

## 1 – GENERAL TERMS

The client declares to know and accept the conditions of sale herein.  
All sales and deliveries of goods will be carried out in accordance with the following conditions.

## 2 – PRICES

Reference prices may be modified at any time without previous notice.  
Prices to be applied will be those prevailing on the date of the order and its confirmation.

## 3 - ORDERS

Orders shall be sent by email or fax.  
Orders under 100,00 € will be charged a supplement of 10,00 €.  
All sent goods remain the property of MAYGRA, until full payment of the purchase price.

## 4 – TERMS OF PAYMENT

All our commercial operations are insured by a credit insurer. If the credit is not approved, sales shall be prepaid before sending.  
In agreement with the Spanish Law 15/2010 dated July 5, terms of payment shall be:

Cash payment with a 3% discount  
within 60 days after invoice date  
within 45 days after invoice date with two fixed days for payment  
within 30 days after invoice date with one fixed day for payment

Delay caused by holidays won't be accepted.  
Should the payments be received after the due date, we reserve the right to charge interest for the financing of the costs and returning shipping costs when appropriate, as closing the credit account until the full payment of the debt.

## 5 - DELIVERY

We will accept good returns only within 15 days of the delivery.  
Afterwards, MAYGRA will not accept any type of return.  
Returns will not be accepted if they have not been previously and explicitly confirmed and authorized by our company.  
The return will be sent in its original packaging and carriage-paid.  
We will not accept any charge for handling the goods.

## 6 – GOOD RETURNS

Les retours de marchandises seront acceptés uniquement pendant les 15 jours suivant la réception de la marchandise.  
Passé ce délai, MAYGRA ne prendra en charge aucun retour de marchandise.  
Aucun retour de marchandise ne sera accepté sans la confirmation et l'autorisation explicite de notre entreprise.  
Les marchandises en retour doivent être envoyées dans leur PACKAGING d'origine et tous frais de port payés.  
Il ne sera accepté aucune charge en concept de manipulation de la marchandise.

## 7 - JURISDICTION

Acceptance of delivery involves acceptance of our "terms of sale". In the event of litigation, the buyer will submit to the court of Huesca and will waive whichever other court may apply to him, in agreement with article 55 of the Spanish Civil Procedure Act.



**COMPANY FOUNDED IN 1967**

**MATRICES Y GRABADOS, S.L.**

Polígono Industrial Sepes - C/ Ganadería, parcela 35

Tel. +34 974 591 579

Mob. +34 636 268 349

Fax +34 974 225 626

22006 HUESCA (SPAIN)

[www.maygra.com](http://www.maygra.com)

[comercial@maygra.com](mailto:comercial@maygra.com)